

Honda Scooters

Standard Features

The powerful liquid-cooled four-stroke engine and large, comfortable seat enable the Helix to carry both you and your passenger* with ease.

Push-button starting and no shifting make the Helix easy to ride.

Starting is quick and easy with a maintenance-free solid-state ignition, automatic choke, a powerful 12-volt electrical system and maintenance-free battery.

Advanced instrumentation keeps you informed with a digital speedometer, fuel gauge, coolant temperature gauge, odometer, resettable tripmeter, clock, high beam and oil change indicators.

The audible turn signal indicator reminds you when your turn signals are on.

The hydraulic front disc brake is ventilated and self-adjusting.

The streamlined windscreen makes the Helix more comfortable for both rider and passenger.

Grab rails alongside the seat provide passenger comfort and convenience.

The locking rear storage compartment features enough capacity to carry a briefcase.

A parking brake and ignition switch steering lock help you keep your Helix secure when parked.

The large fuel tank lets you ride for miles with

Plus, when you ride your Helix, you're riding with the reassurance of Honda's 12-month unlimited mileage warranty.

fewer fill-ups.

Be careful out there.

Paying attention to a few simple guidelines cal go a long way toward making your experience on your Honda Scooter a safe one.

For example, always wear a helmet and eye protection. Follow the rules of the road. Ride at a safe speed. And if you're riding a new or unfamiliar scooter, take it extra easy.

Finally, read your owner's manual carefully. Maintain your Helix in safe running condition. And never, but never, drink and ride.

Because a little common sense lets you ride a long way.

HELIX" (CN250)	1987 SPECIFICATIONS
Engine	244cc liquid-cooled single-cylinder four-stroke
Ignition	Maintenance-free solid-state
Starter	Electric
Carburetion	30mm CV with automatic choke
Transmission	V-matic [™]
Suspension	Front: Dual hydraulic shocks Rear: Dual hydraulic shocks
Brakes	Front: Ventilated hydraulic disc with twin piston caliper Rear: Drum
Tires	Front: 4.00-12 tubeless Rear: 120/90-10 tubeless
Wheelbase	63.8 inches
Seat Height	26.2 inches
Dry Weight	341.8 pounds
Fuel Capacity	3.2 gallons
Colors	Metallic Red, Metallic Gray
OPTIONAL HONDALINE® ACCESSORIES	

*As shown on previous page

Floor Mat

Seat Cover

Scooter Cover


Backrest*

AM/FM Stereo Audio System*

Audio System Power Booster

*Maximum load capacity 350 lbs. Specifications and availability subject to change without notice. California version differs slightly due to emissions equipment. 1See your local authorized Honda Scooler dealer for complete details. Helix ", V-matic " and Hondaline® are Honda trademarks. © 1986 American Honda Motor Co., Inc. Printed in U.S.A. 1987 Helix brochure. A1702

HONDA



Advanced instrumentation means you're always informed. Helix[™] features include a digital speedometer, fuel gauge, coolant temperature gauge, odometer, resettable tripmeter, clock, audible turn signal indicator, high beam and oil change indicators.



The windscreen makes riding more comfortable, especially on freeways.



Grab rails provide passenger *comfort and convenience. Integrated rear light panel complements the sleek design.





Hydraulic front disc brake is ventilated and self-adjusting.



An optional Hondaline*AW/FM stereo audio system includes twin flush-mounted speakers, a four-function handlebar mounted remote control with 5 station presets, and antenna. An optional power booster is also available.



